

What is claimed is:

1. An apparatus for pulling line through a raceway, the apparatus comprising:  
an attachment member adapted to releasably attach to an end of a fish tape;  
and  
a body having a plurality of mounting apertures therethrough lying in a common plane, wherein the attachment member is attached to an end of the body.
2. The apparatus of claim 1, wherein the attachment member releasably attaches to the end of the body.
3. The apparatus of claim 1, wherein the body has complementary recesses between the plurality of mounting apertures along the length of the body.
4. The apparatus of claim 1, wherein the plurality of mounting apertures has rounded convex circumferential edges about the openings of the plurality of mounting apertures.
5. The apparatus of claim 1, wherein the body is flexible.
6. The apparatus of claim 1, wherein the attachment member comprises a hook having a loop attached to the end of the body.
7. The apparatus of claim 1, wherein the body has opposed planar surfaces parallel with the common plane.
8. The apparatus of claim 1, wherein at least one mounting aperture of the plurality of mounting apertures has the line positioned therethrough and releasably secured thereto.

9. The apparatus of claim 8, wherein the line is releasably secured to the at least one mounting aperture with tape.

10. The apparatus of claim 1, wherein the plurality of mounting apertures has an inner dimension sized to receive the line.

11. The apparatus of claim 10, wherein the body is sized to fit within the raceway.

12. The apparatus to claim 11, wherein the attachment member is sized to fit within the raceway.

13. An apparatus for pulling line through a raceway, the apparatus comprising:

mounting means for supporting the line, the mounting means having multiple securing means for releasably securing the line to the mounting means, wherein each line is connected to separate securing means; and

attachment means for releasably attaching to an end of a fish tape and attached to an end of the mounting means.

14. The apparatus of claim 13, wherein the securing means has an inner dimension sized to receive the line.

15. The apparatus of claim 13, wherein the mounting means is sized to fit within the raceway.

16. The apparatus of claim 13, wherein the attachment means is sized to fit within the raceway.

17. The apparatus of claim 13, wherein the attachment means is releasably attached to the end of the mounting means.

18. A method of pulling line through a raceway, the method comprising:  
folding the line through a mounting aperture on a body;  
securing the line on both sides of the mounting aperture to the body;  
attaching an attachment member connected to the body to an end of a fish  
tape; and  
pulling the fish tape through the raceway.
19. The method of claim 18, further comprising affixing multiple lines to the  
body through separate mounting apertures in the body.
20. The method of claim 18, further comprising securing the line along a  
length of the line to recesses on the body.